NORTHSIDE/NORTHPOINT OB-GYN

Advanced, heartfelt care for all the stages of life

5780 Peachtree Dunwoody Road, Suite 295 • Atlanta, GA 30342 • (404) 255 3633 11975 Morris Road, Suite 310 • Alpharetta, GA 30005 • www.nsnpobgyn.com

Post Operative Instructions

Hysteroscopy / Dilatation & Curettage/ Endometrial Ablation

- Expect vaginal bleeding for 7-10 days.
- 2. Heaviest bleeding in first 48 hours.
- Call if foul smelling vaginal odor or discharge, excessive bleeding greater than 1 pad per hour, fever greater than 101 degrees Fahrenheit, excessive nausea, vomiting or severe pain not controlled by pain medications.
- 4. You may bathe after 24 hours and showering is fine at any time.
- 5. Abstain from sexual intercourse for 7 days-nothing per vagina—no douching, no intercourse, no tampons.
- No driving for 24 hours after anesthesia.
- 7. No vigorous exercise for 48 hours.
- 8. Expect mild to moderate cramping for 2-3 days. Possibly 7-10 days after an ablation.
- 9. If you experience constipation, feel free to use Metamucil, Milk of Magnesia, Senekot stool softener, ducolax tablets or suppository or any over the counter medications.
- 10. For gas pain you may use Gas-x or Mylicon.
- 11. Please make an appointment for post-op follow up in 2-3 weeks.
- 12. If breastfeeding, pump and dump milk for 24 hours post anesthesia.

Rev: 3/2012